ST Unitech Metal Works

Designs and Manufactures of:



Rack Cabinet



IP~54 RACK CABINET



19 Inch Rack Cabinet Dimensions Specification					
Model No.	Description	Width	Depth	Height	Carton Weight
S-IP54-19-01	18U	600 mm	600 mm	1000 mm	48 KG
S-IP54-19-02	22U	600 mm	600 mm	1200 mm	58 KG
S-IP54-19-03	27U	600 mm	600 mm	1400 mm	69 KG
S-IP54-19-04	32U	600 mm	600 mm	1600 mm	80 KG
S-IP54-19-05	37U	600 mm	600 mm	1800 mm	91 KG
S-IP54-19-06	37U	600 mm	800 mm	1800 mm	107 KG
S-IP54-19-07	37U	800 mm	960 mm	1800 mm	122 KG
S-IP54-19-08	37U	800 mm	600 mm	1800 mm	107 KG
S-IP54-19-09	37U	800 mm	800 mm	1800 mm	133 KG
S-IP54-19-10	37U	800 mm	960 mm	1800 mm	153 KG
S-IP54-19-11	42U	600 mm	600 mm	2000 mm	101 KG
S-IP54-19-12	42U	600 mm	800 mm	2000 mm	119 KG
S-IP54-19-13	42U	600 mm	960 mm	2000 mm	133 KG
S-IP54-19-14	42U	800 mm	600mm	2000 mm	119 KG
S-IP54-19-15	42U	800 mm	800 mm	2000 mm	140 KG
S-IP54-19-16	42U	800 mm	960 mm	2000 mm	161 KG
S-IP54-19-17	46U	600 mm	600 mm	2200 mm	111 KG
S-IP54-19-18	46U	600 mm	800 mm	2200 mm	133 KG
S-IP54-19-19	46U	600 mm	960 mm	2200 mm	140 KG
S-IP54-19-20	46U	800 mm	600 mm	2200 mm	129 KG
S-IP54-19-21	46U	800 mm	800 mm	2200 mm	150 KG
S-IP54-19-22	46U	800 mm	960 mm	2200 mm	170 KG



IP~54 RACK CABINET



21	Inch Rack C	abinet l	Dimensio	ns Specifi	ication
Model No.	Description	Width	Depth	Height	Carton Weight
S-IP54-21-01	18U	600 mm	600 mm	1000 mm	48 KG
S-IP54-21-02	22U	600 mm	600 mm	1200 mm	58 KG
S-IP54-21-03	27U	600 mm	600 mm	1400 mm	69 KG
S-IP54-21-04	32U	600 mm	600 mm	1600 mm	80 KG
S-IP54-21-05	37U	600 mm	600 mm	1800 mm	91 KG
S-IP54-21-06	37U	600 mm	800 mm	1800 mm	107 KG
S-IP54-21-07	37U	800 mm	960 mm	1800 mm	122 KG
S-IP54-21-08	37U	800 mm	600 mm	1800 mm	107 KG
S-IP54-21-09	37U	800 mm	800 mm	1800 mm	133 KG
S-IP54-21-10	37U	800 mm	960 mm	1800 mm	153 KG
S-IP54-21-11	42U	600 mm	600 mm	2000 mm	101 KG
S-IP54-21-12	42U	600 mm	800 mm	2000 mm	119 KG
S-IP54-21-13	42U	600 mm	960 mm	2000 mm	133 KG
S-IP54-21-14	42U	800 mm	600mm	2000 mm	119 KG
S-IP54-21-15	42U	800 mm	800 mm	2000 mm	140 KG
S-IP54-21-16	42U	800 mm	960 mm	2000 mm	161 KG
S-IP54-21-17	46U	600 mm	600 mm	2200 mm	111 KG
S-IP54-21-18	46U	600 mm	800 mm	2200 mm	133 KG
S-IP54-21-19	46U	600 mm	960 mm	2200 mm	140 KG
S-IP54-21-20	46U	800 mm	600 mm	2200 mm	129 KG
S-IP54-21-21	46U	800 mm	800 mm	2200 mm	150 KG
S-IP54-21-22	46U	800 mm	960 mm	2200 mm	170 KG



RACK CABINET









19 Inch Rack Cabinet Dimensions Specification					
Model No.	Description	Width	Depth	Height	Carton Weight
S-19-01	18U	600 mm	600 mm	1000 mm	48 KG
S-19-02	22U	600 mm	600 mm	1200 mm	58 KG
S-19-03	27U	600 mm	600 mm	1400 mm	69 KG
S-19-04	32U	600 mm	600 mm	1600 mm	80 KG
S-19-05	37U	600 mm	600 mm	1800 mm	91 KG
S-19-06	37U	600 mm	800 mm	1800 mm	107 KG
S-19-07	37U	800 mm	960 mm	1800 mm	122 KG
S-19-08	37U	800 mm	600 mm	1800 mm	107 KG
S-19-09	37U	800 mm	800 mm	1800 mm	133 KG
S-19-10	37U	800 mm	960 mm	1800 mm	153 KG
S-19-11	42U	600 mm	600 mm	2000 mm	101 KG
S-19-12	42U	600 mm	800 mm	2000 mm	119 KG
S-19-13	42U	600 mm	960 mm	2000 mm	133 KG
S-19-14	42U	800 mm	600mm	2000 mm	119 KG
S-19-15	42U	800 mm	800 mm	2000 mm	140 KG
S-19-16	42U	800 mm	960 mm	2000 mm	161 KG
S-19-17	46U	600 mm	600 mm	2200 mm	111 KG
S-19-18	46U	600 mm	800 mm	2200 mm	133 KG
S-19-19	46U	600 mm	960 mm	2200 mm	140 KG
S-19-20	46U	800 mm	600 mm	2200 mm	129 KG
S-19-21	46U	800 mm	800 mm	2200 mm	150 KG
S-19-22	46U	800 mm	960 mm	2200 mm	170 KG




WALL MOUNT CABINET



1	9 Inch Wall Mou	ınt Cabinet Dime	nsion Specificati	on
Model No.	Capacity(U)	Width	Depth	Height
S-2015001W	4	550 mm	450 mm	280 mm
S-2015002W	6	550 mm	450 mm	350 mm
S-2015003W	9	550 mm	450 mm	500 mm
S-2015004W	12	550 mm	450 mm	635 mm
S-2015005W	15	550 mm	450 mm	769 mm
S-2015006W	18	550 mm	450 mm	901 mm

RACK CABINET Accessories





RACK CABINET Accessories

POWER DISTRIBUTION





Horizontal Power Distribution Panel Vertical Power Distribution Panel

- The panel is supplied fully wired with outlets, lead and plug.
- The panel is using Singapore type of power distribution sockets.
- Singapore 13A,240V

Vertical Power Distribution Panel		
RU	NO. OF OUTLET	
18 - 45	6 - 15	

Horizontal Power Distribution Panel		
RU	NO. OF OUTLET	
19"	5	
700 - 800	5	

PLINTH & BASE





Castor Wheel

- Max load 200 KG
- Brakes can be supplied



- Include optional plate covered cable entry at the front and/or back.
- Include removable ventilation grille to permit air entry to the cabinet when it is mounted on a solid floor
- Increase overall height



Levelling Feet / Foot Adjuster

- Max load 300 KG
- Can be fitted to all cabinet
- With Metal or Rubber can be supplied



RACK CABINET Accessories

AIR MANAGEMENT



- Aluminium cast frame
- Impedance Protection
- Rotation clockwise view from label side

	DC Fan	
NO.	ITEM	SPECIFICATION
1	Operating Voltage	24 – 55.2 VDC
2	Input Current	0.15 A
3	Input Power	7.2 W
4	Speed	2200 RPM
5	Max. Air Flow	79 CFM
6	Max. Air Pressure	3.5 mmH2O
7	Acoustical Noise	36 Db(A)
8	Life Expectancy	50000 Hours
9	Bearing Type	Ball Bearing



Installed Inside View



Installed Inside View


Removable Filter


- Removable Filters can be used in conjunction with louvres to assist with the prevention of dust entering to the Rack Cabinet
- Prevent insect to entering the Rack Cabinet
- Easily to remove and wash
- If the Filter spoil, it is easy to replaced

Removable Filter
Size
200 x 200
300 x 300
200 x 500
300 x 500



RACK CABINET Accessories








Customized Available, Please contact us for your requirements.



RACK CABINET Accessories

MISCELLANEOUS





Cage Nut Assembly

- 1x Nut, 1x Screw & 1x Washer
- Bright Zinc Finish




Joint Bracket

To join 2 Rack
Cabinet together



Door Hinge 90°

- Grey Chrome Plating
- Black powder coated





Metal Zine Plating Steel Hinge